



## MED13L syndrome

*MED13L* syndrome is a developmental disorder characterized by developmental delay, intellectual disability, and minor differences in facial features. Additionally, some people with this condition have recurrent seizures (epilepsy) or heart abnormalities that are present from birth (congenital heart defects).

Intellectual disability and developmental delay are usually moderate to severe in people with *MED13L* syndrome. Weak muscle tone (hypotonia) and delayed development of motor skills, such as sitting, standing, and walking, are early symptoms of the condition. After learning to walk, some affected individuals continue to have difficulty with coordination and balance (ataxia). Speech is also delayed, and most people with this condition develop only a few words or never learn to talk. People with *MED13L* syndrome may exhibit features typical of autism spectrum disorder, including repetitive behaviors and difficulty with social interactions.

Most people with *MED13L* syndrome have unusual facial features that consist of a depressed nasal bridge, a bulbous nasal tip, straight eyebrows, outside corners of the eyes that point upward (upslanting palpebral fissures), full cheeks, and an open mouth. Other facial features that sometimes occur are a pronounced double curve of the upper lip (Cupid's bow), and a deep space between the nose and upper lip (philtrum).

Different congenital heart defects can occur in *MED13L* syndrome. Affected individuals may have transposition of the great arteries, which is abnormal positioning of the large blood vessel that distributes blood from the heart to the rest of the body (aorta) and the artery that carries blood from the heart to the lungs (the pulmonary artery). Other congenital heart defects in *MED13L* syndrome include a hole between the two lower chambers of the heart (ventricular septal defect), a hole between the two upper chambers of the heart (patent foramen ovale), or a particular combination of heart defects known as tetralogy of Fallot.

### Frequency

*MED13L* syndrome is a rare disorder that occurs in an estimated 1.6 per 100,000 newborns. More than 65 affected individuals have been reported in the scientific literature.

### Causes

As its name suggests, *MED13L* syndrome is caused by mutations in a gene known as *MED13L*. This gene provides instructions for making a protein that helps regulate gene activity; it is thought to play an essential role in development both before and after birth. The *MED13L* gene mutations that cause this condition alter the function of the *MED13L* protein or reduce the amount of protein present, impairing normal control of

gene activity. It is unclear how these changes lead to the particular developmental and physical features of *MED13L* syndrome.

## **Inheritance Pattern**

*MED13L* syndrome is inherited in an autosomal dominant pattern, which means one copy of the altered *MED13L* gene in each cell is sufficient to cause the disorder. Most cases of this condition result from new (de novo) mutations in the gene that occur during the formation of reproductive cells (eggs or sperm) or in early embryonic development. These cases occur in people with no history of the disorder in their family. Very rarely, the condition is inherited from a parent with mosaicism. In these instances, the parent has a *MED13L* gene mutation in a small number of cells, including reproductive cells (eggs or sperm), and does not show any signs or symptoms of *MED13L* syndrome.

## **Other Names for This Condition**

- Asadollahi-Rauch syndrome
- ASRAS
- cardiac anomalies-developmental delay-facial dysmorphism syndrome
- developmental delay-facial dysmorphism syndrome due to MED13L deficiency
- intellectual disability and distinctive facial features with or without cardiac defects
- MED13L haploinsufficiency syndrome
- MED13L-related intellectual disability
- MRFACD

## **Diagnosis & Management**

### Genetic Testing Information

- What is genetic testing?  
[/primer/testing/genetic-testing](#)
- Genetic Testing Registry: Mental retardation and distinctive facial features with or without cardiac defects  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C4225208/>

## **Additional Information & Resources**

### Health Information from MedlinePlus

- Health Topic: Congenital Heart Defects  
<https://medlineplus.gov/congenitalheartdefects.html>
- Health Topic: Developmental Disabilities  
<https://medlineplus.gov/developmentaldisabilities.html>
- Health Topic: Speech and Language Problems in Children  
<https://medlineplus.gov/speechandlanguageproblemsinchildren.html>

### Genetic and Rare Diseases Information Center

- MED13L haploinsufficiency syndrome  
<https://rarediseases.info.nih.gov/diseases/12999/med13l-haploinsufficiency-syndrome>

### Additional NIH Resources

- National Heart Lung and Blood Institute: Congenital Heart Defects  
<https://www.nhlbi.nih.gov/health-topics/congenital-heart-defects>

### Educational Resources

- Boston Children's Hospital: Developmental Disabilities  
<http://www.childrenshospital.org/conditions-and-treatments/conditions/d/developmental-disabilities>
- Centers for Disease Control and Prevention: Congenital Heart Defects  
<https://www.cdc.gov/ncbddd/heartdefects/index.html>
- Centers for Disease Control and Prevention: Facts about Developmental Disabilities  
<https://www.cdc.gov/ncbddd/developmentaldisabilities/facts.html>
- Children's Hospital of Philadelphia: Age-Appropriate Speech and Language Milestones  
<https://www.chop.edu/conditions-diseases/age-appropriate-speech-and-language-milestones>
- Kennedy Krieger Institute: Intellectual Disability  
<https://www.kennedykrieger.org/patient-care/conditions/intellectual-disability>
- MalaCards: med13l haploinsufficiency syndrome  
[https://www.malacards.org/card/med13l\\_haploinsufficiency\\_syndrome](https://www.malacards.org/card/med13l_haploinsufficiency_syndrome)
- March of Dimes: Congenital Heart Defects  
<https://www.marchofdimes.org/complications/congenital-heart-defects.aspx>

- Merck Manual Consumer Version: Intellectual Disability  
<https://www.merckmanuals.com/home/children-s-health-issues/learning-and-developmental-disorders/intellectual-disability?query=developmental%20delay>
- Orphanet: Developmental delay-facial dysmorphism syndrome due to MED13L deficiency  
[https://www.orpha.net/consor/cgi-bin/OC\\_Exp.php?Lng=EN&Expert=369891](https://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=369891)

### Patient Support and Advocacy Resources

- American Association on Intellectual and Developmental Disabilities (AAIDD)  
<https://www.aaidd.org/>
- American Heart Association: Congenital Heart Defects  
<https://www.heart.org/en/health-topics/congenital-heart-defects>
- Ataxia UK  
<https://www.ataxia.org.uk/>
- Citizens United for Research in Epilepsy (CURE)  
<https://www.cureepilepsy.org/>

### Scientific Articles on PubMed

- PubMed  
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28MED13L+syndrome%5BTIAB%5D%29+OR+%28MED13L%5BTI%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+3600+days%22%5Bdp%5D>

### Catalog of Genes and Diseases from OMIM

- MENTAL RETARDATION AND DISTINCTIVE FACIAL FEATURES WITH OR WITHOUT CARDIAC DEFECTS  
<http://omim.org/entry/616789>

### Medical Genetics Database from MedGen

- Mental retardation and distinctive facial features with or without cardiac defects  
<https://www.ncbi.nlm.nih.gov/medgen/900924>

## **Sources for This Summary**

- Asadollahi R, Oneda B, Sheth F, Azzarello-Burri S, Baldinger R, Joset P, Latal B, Knirsch W, Desai S, Baumer A, Houge G, Andrieux J, Rauch A. Dosage changes of MED13L further delineate its role in congenital heart defects and intellectual disability. *Eur J Hum Genet.* 2013 Oct;21(10):1100-4. doi: 10.1038/ejhg.2013.17. Epub 2013 Feb 13.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/23403903>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3778355/>
- Asadollahi R, Zweier M, Gogoll L, Schiffmann R, Sticht H, Steindl K, Rauch A. Genotype-phenotype evaluation of MED13L defects in the light of a novel truncating and a recurrent missense mutation. *Eur J Med Genet.* 2017 Sep;60(9):451-464. doi: 10.1016/j.ejmg.2017.06.004. Epub 2017 Jun 21.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/28645799>

- Cafiero C, Marangi G, Orteschi D, Ali M, Asaro A, Ponzi E, Moncada A, Ricciardi S, Murdolo M, Mancano G, Contaldo I, Leuzzi V, Battaglia D, Mercuri E, Slavotinek AM, Zollino M. Novel de novo heterozygous loss-of-function variants in MED13L and further delineation of the MED13L haploinsufficiency syndrome. *Eur J Hum Genet.* 2015 Nov;23(11):1499-504. doi: 10.1038/ejhg.2015.19. Epub 2015 Feb 25.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/25712080>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4613466/>
- Smol T, Petit F, Piton A, Keren B, Sanlaville D, Afejar A, Baker S, Bedoukian EC, Bhoj EJ, Bonneau D, Boudry-Labis E, Bouquillon S, Boute-Benejean O, Caumes R, Chatron N, Colson C, Coubes C, Coutton C, Devillard F, Dieux-Coeslier A, Doco-Fenzy M, Ewans LJ, Faivre L, Fassi E, Field M, Fournier C, Francannet C, Genevieve D, Giurgea I, Goldenberg A, Green AK, Guerrot AM, Heron D, Isidor B, Keena BA, Krock BL, Kuentz P, Lapi E, Le Meur N, Lesca G, Li D, Marey I, Mignot C, Nava C, Nesbitt A, Nicolas G, Roche-Lestienne C, Roscioli T, Satre V, Santani A, Stefanova M, Steinwall Larsen S, Saugier-Verber P, Picker-Minh S, Thuillier C, Verloes A, Vieville G, Wenzel M, Willems M, Whalen S, Zarate YA, Ziegler A, Manouvrier-Hanu S, Kalscheuer VM, Gerard B, Ghomid J. MED13L-related intellectual disability: involvement of missense variants and delineation of the phenotype. *Neurogenetics.* 2018 May;19(2):93-103. doi: 10.1007/s10048-018-0541-0. Epub 2018 Mar 6.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/29511999>
- Yamamoto T, Shimojima K, Ondo Y, Shimakawa S, Okamoto N. MED13L haploinsufficiency syndrome: A de novo frameshift and recurrent intragenic deletions due to parental mosaicism. *Am J Med Genet A.* 2017 May;173(5):1264-1269. doi: 10.1002/ajmg.a.38168. Epub 2017 Mar 29.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/28371282>
- van Haelst MM, Monroe GR, Duran K, van Binsbergen E, Breur JM, Giltay JC, van Haaften G. Further confirmation of the MED13L haploinsufficiency syndrome. *Eur J Hum Genet.* 2015 Jan;23(1):135-8. doi: 10.1038/ejhg.2014.69. Epub 2014 Apr 30.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/24781760>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4266749/>

---

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/med13l-syndrome>

Reviewed: May 2019

Published: June 23, 2020

Lister Hill National Center for Biomedical Communications

U.S. National Library of Medicine

National Institutes of Health

Department of Health & Human Services